



Welcome United States Patent and Trademark Office

☐ Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

Results for "((charge gain and flash)&lt;in&gt;metadata)"

☒ e-mail

Your search matched 11 of 1344017 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Bake induced charge gain in NOR flash cells**  
 Fastow, R.; Ahmed, K.; Haddad, S.; Randolph, M.; Huster, C.; Hom, P.;  
[Electron Device Letters, IEEE](#)  
 Volume 21, Issue 4, April 2000 Page(s):184 - 186  
 Digital Object Identifier 10.1109/55.830976  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(60 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **Data retention failure in NOR flash memory cells**  
 Lee, W.H.; Dong-Kyu Lee; Young-Min Park; Keon-Soo Kim; Kun-Ok Ahn; Kang  
[Reliability Physics Symposium, 2001. Proceedings. 39th Annual. 2001 IEEE In](#)  
 30 April-3 May 2001 Page(s):57 - 60  
 Digital Object Identifier 10.1109/RELPHY.2001.922882  
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **A novel PHINES flash memory cell with low power program/erase, small per-cell for data storage applications**  
 Chih-Chieh Yeh; Tahui Wang; Wen-Jer Tsai; Tao-Cheng Lu; Ming-Shiang Che  
 Wenchi Ting; Yen-Hui Joseph Ku; Chih-Yuan Lu;  
[Electron Devices, IEEE Transactions on](#)  
 Volume 52, Issue 4, Apr 2005 Page(s):541 - 546  
 Digital Object Identifier 10.1109/TED.2005.845085  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(680 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **Plasma charging and mobile ions on the data retention of 0.25  $\mu$ m flash n**  
 Liou, J.J.-W.; Pao-Chuan Lin; Wei-Min Chen; Lin, J.; Chih-Jen Huang; Hwi-Hu;  
 G.;  
[Plasma- and Process-Induced Damage, 2001 6th International Symposium on](#)  
 13-15 May 2001 Page(s):72 - 75  
 Digital Object Identifier 10.1109/PPID.2001.929982  
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. **CHISEL flash EEPROM. II. Reliability**  
 Mahapatra, S.; Shukuri, S.; Bude, J.;  
[Electron Devices, IEEE Transactions on](#)

Volume 49, Issue 7, July 2002 Page(s):1302 - 1307

Digital Object Identifier 10.1109/TED.2002.1013290

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(267 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

6. **Drain disturb during CHISEL programming of NOR flash EEPROMs-physi and impact of technological parameters**  
Nair, D.R.; Mahapatra, S.; Shukuri, S.; Bude, J.D.;  
[Electron Devices, IEEE Transactions on](#)  
Volume 51, Issue 5, May 2004 Page(s):701 - 707  
Digital Object Identifier 10.1109/TED.2004.825821  
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
7. **Explanation of P/E cycling impact on drain disturb in flash EEPROMs unc CHISEL programming operation**  
Nair, D.R.; Mahapatra, S.; Shukuri, S.; Bude, J.D.;  
[Electron Devices, IEEE Transactions on](#)  
Volume 52, Issue 4, Apr 2005 Page(s):534 - 540  
Digital Object Identifier 10.1109/TED.2005.844741  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(368 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
8. **Novel operation schemes to improve device reliability in a localized trap SONOS-type flash memory**  
Yeh, C.C.; Tsai, W.J.; Lu, T.C.; Chen, H.Y.; Lai, H.C.; Zous, N.K.; Liao, Y.Y.; Y S.K.; Liu, C.C.; Hsu, F.S.; Huang, L.T.; Chiang, W.S.; Liu, C.J.; Cheng, C.F.; C C.H.; Tahui Wang; Wenchi Ting; Pan, S.; Ku, J.; Chih-Yuan Lu;  
[Electron Devices Meeting, 2003. IEDM '03 Technical Digest. IEEE International](#)  
8-10 Dec. 2003 Page(s):7.5.1 - 7.5.4  
Digital Object Identifier 10.1109/IEDM.2003.1269204  
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
9. **Statistical Modeling for Postcycling Data Retention of Split-Gate Flash Me**  
Hu, L.-C.; Kang, A.-C.; Shih, J.R.; Lin, Y.-R.; Wu, K.; King, Y.-C.;  
[Device and Materials Reliability, IEEE Transactions on](#)  
Volume 6, Issue 1, March 2006 Page(s):60 - 66  
Digital Object Identifier 10.1109/TDMR.2006.870354  
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
10. **Characterization of process-induced mobile ions on the data retention in**  
Liou, J.J.-W.; Chih-Jen Huang; Hwi-Huang Chen; Hong, G.;  
[Electron Devices, IEEE Transactions on](#)  
Volume 50, Issue 4, April 2003 Page(s):995 - 1000  
Digital Object Identifier 10.1109/TED.2003.812081  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(305 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
11. **The effect of CHE and CHISEL programming operation on drain disturb in EEPROMs**  
Nair, D.R.; Mohapatra, N.R.; Mahapatra, S.; Shukuri, S.; Bude, J.;  
[Physical and Failure Analysis of Integrated Circuits, 2003. IPFA 2003. Proceed](#)  
[International Symposium on the](#)  
7-11 July 2003 Page(s):164 - 167  
[AbstractPlus](#) | Full Text: [PDF\(327 KB\)](#) IEEE CNF  
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

charge gain failure

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results **21 - 30** of about **30,600,000** for **charge gain failure**. (0.05 seconds)**[PDF] Novel read disturb failure mechanism induced by FLASH cycling ...**

File Format: PDF/Adobe Acrobat

The **failure** rate of arrays due to read disturb is tracked by the ... In this section we show that the **charge gain** takes place by ...ieeexplore.ieee.org/iel2/ 1027/7007/00283291.pdf?arnumber=283291 - [Similar pages](#)**Executive Gain ... - Accountancy Age**Other research puts the **failure** rate at around 40% and every executive ... obligation set for reporting the group's tax **charge** and by understanding the ...

www.accountancyage.com/accountancyage/ features/2040590/executive-gain - 44k -

[Cached](#) - [Similar pages](#)**MAXIMIZING THE VALUE OF CONSORTIUM PARTICIPATION**As a result of the **failure** to **gain** "buy in" from the marketing (as well as the ... despite the fact that most consortia **charge** a higher fee for classes of ...consortiuminfo.org/maximizing/ - 37k - [Cached](#) - [Similar pages](#)**iO Digital Cable TV****Failure** to pay **charges** invoiced may result in discontinuance of service, the removal of ...Therefore, you must take steps to ensure that others do not **gain** ...www.io.tv/index.jhtml?pageType=terms - 43k - [Cached](#) - [Similar pages](#)**LM27964 - White LED Driver System with I2C Compatible Brightness ...**The device provides excellent efficiency without the use of an inductor by operating the **charge** pump in a **gain** of 3/2, or in Pass-Mode. The proper **gain** for ...www.national.com/pf/LM/LM27964.html - 23k - [Cached](#) - [Similar pages](#)**Bugarri Shoes - Height increase shoes for men :: gain extra height ...**There are no extra **charges** for shipping (worldwide). 8. Risk and Property ... Power **failure** or breakdown in machinery. 11. General ...

www.bugarrishoes.com/index. php?language=en&amp;linkk=terms - 27k -


[Cached](#) - [Similar pages](#)**[PPT] Compact Modeling of Non-volatile Memory Devices**File Format: Microsoft Powerpoint - [View as HTML](#)NVM operates with processes that normally cause **failure**: ... Program and erase. Reliability (**charge** loss or **gain**). Device asymmetry (2-bit storage)legwww.epfl.ch/ekv/mos-ak/ estoril/16\_MSadd\_nvm\_mos-ak.ppt - [Similar pages](#)**Heart Failure: LV reconstruction**There is no **charge** for a review of your medical records. ... your cardiologist of weight **gain** or other signs and symptoms of worsening heart **failure**. ...

www.clevelandclinic.org/heartcenter/ pub/guide/disease/heartfailure/dor.htm - 30k -

[Cached](#) - [Similar pages](#)**The Chip Collection - Chip Talk - Historical - Smithsonian Institution**The mobile **charge** carrier (hole or electron) that predominates in a ... A (non-mechanical) circuit component that has **gain** or switches current flow, ...smithsonianchips.si.edu/chiptalk/vocab.htm - 33k - [Cached](#) - [Similar pages](#)

Ordering Guide

The following two positions are for **gain**. Model number RR90-17 is an ... **Failure** by Customer to schedule shipment within 60 days after the original order ...  
[www.emswireless.com/english/content/pro\\_orderguide.asp](http://www.emswireless.com/english/content/pro_orderguide.asp) - 35k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google